



## 2-3 Ton Marco Single Scissor Lift Table with CE Approved Heavy Duty and Stationary Running openclaw

Our Product Introduction

for more products please visit us on newarrivals2025.com

### Basic Information

- Certification: CE



### Product Specification

- Model NO.: E. G.: M2-020090-D2
- Feature: Insulating
- Transport Package: Wooden Pallet
- Specification: CE
- Trademark: Marco
- Origin: Ningbo, China
- HS Code: 8428909090
- Application: Workshop Crane, Shipboard Crane, Warehouse Crane, Building Crane
- Lift Mechanism: Scissor Lift
- Carrying Capacity: Weight Level
- Moves: Stationary
- Driven Type: Hydraulic
- Running Mode: Stationary
- Customization: Available | Customized Request

## Product Description

**Single scissor lift table** have multi-purpose applications and are normally used to solve issues with handling, difference in levels, production and logistic areas! The main support steel structure consists of rectangular steel profiles to assure the highest stability and resistance.

### Main Specification:

#### 1. Standard Options

Pump: Europe brand

Control box- dead man control with up/down/E-stop

Cylinder: Marco designing, OEM made, including rupture valve, damping action and pilot valve

Sealing kit for cylinder: SKF brand

Motor: Hoyer motor, protection IP55

Scissor arm: Q345B

Hydraulic hose/fitting: Eaton

Paint: Finland brand - Tikkurila

#### 2. Options extra: Depends on your require

#### Our Services:

1. For all your inquires about us , we will reply you in detail within 24 hours
2. We own well-tranied and passionial sales and after- sale services who can speak fluent English language
3. We can provide customise solutions to particular requirements

#### Packaging & Shipping:

Main Loading Port: ShangHai or Ningbo

Production Delivery: 6-8 weeks (public holiday excluded)

#### Hot sales for 2-3 Ton Marco single lift table with CE approved:

Art.No.	Type	Capacity (kg)	Platform (L*W)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kw)	Weight (kg)
860030	M2-020090-D2	2000	1350*800	900	230	26	0.75	260
861030	M2-020090-D2B	2000	1350*1000	900	230	26	0.75	270
862030	M2-020090D2B	2000	1350*1200	900	230	26	0.75	300
860031	M2-020125-D2	2000	1800*800	1250	250	30	1.1.	335
860032	M2-020125-D2B	2000	1800*1200	1250	250	30	1.1	365
860034	M2,5-020125-D2	2000	2000*1200	1250	250	35	1.1	425
860035	M2,5-020125-D2B	2000	2000*1500	1250	250	35	11	480
860036	M3-020160-D2	2000	2250*1200	1600	300	33	2.2	580
860037	M3-020160-D2B	2000	2250*1500	1600	300	33	2.2	670
860038	M2,5-030090-D2#	3000	1350*1000	900	300	19	2.2	355
860042	M2,5-030090-D2	3000	1350*1100	900	300	19	2.2	385
860039	M3-030110-D2	3000	1800*1000	1100	300	22	2.2	475
860040	M3-030130-D2	3000	2000*1200	1300	300	27	2.2	530
860041	M3-030130-D2B	3000	2000*1500	1300	300	27	2.2	610
860044	M3-030160-D2	3000	2250*1200	1600	300	33	2.2	580
860045	M3-030160-D2B	3000	2250*1500	1600	300	33	2.2	655
860048	M3-030200-D2	3000	3000*1200	2000	300	46	2.2	695
860049	M3-030200-D2B	3000	3000*1500	2000	300	46	2.2	790

