



## 4 5 Ton Marco Single Scissor Lift Table with CE Approved Carrying Capacity openclaw

Our Product Introduction

for more products please visit us on [newarrivals2025.com](http://newarrivals2025.com)

### Basic Information

- Certification: CE



Marco Lift (Ningbo) Co., Ltd. <http://www.marcolift.cn/>

### Product Specification

- Model NO.: E. G.: M3-040090-D2
- Transport Package: Wooden Pallet
- Specification: CE
- Trademark: Marco
- Origin: Ningbo, China
- HS Code: 8428909090
- Application: Workshop Crane, Shipboard Crane, Warehouse Crane, Building Crane
- Lift Mechanism: Scissor Lift
- Carrying Capacity: Weight Level
- Moves: Stationary
- Driven Type: Hydraulic
- Running Mode: Stationary
- Customization: Available | Customized Request
- Product Type: Heavy Duty Scissor Lift Table

## Product Description

**Single scissor lift table** have multi-purpose applications and are normally used to solve issues with handling, difference in levels, production and logistic areas!

The main support steel structure consists of rectangular steel profiles to assure the highest stability and resistance.

### Main Specification:

#### 1.Standard Options

Pump: Europe brand

Control box- dead man control with up/down/E-stop

Cylinder: Marco designing, OEM made, including rupture valve, damping action and pilot valve

Sealing kit for cylinder: SKF brand

Motor: Hoyer motor, protection IP55

Scissor arm: Q345B

Hydraulic hose/fitting: Eaton

Paint: Finland brand - Tikkurila

#### 2.Options extra:Depends on your require

### Our Services:

1. For all your inquires about us , we will reply you in detail within 24 hours
2. We own well-tranied and passional sales and after- sale services who can speak fluent English language
3. We can provide customise solutions to particular requirements

### Packaging & Shipping:

Main Loading Port: ShangHai or Ningbo

Production Delivery: 6-8 weeks (public holiday excluded)

#### Hot sales for 4-5 Ton Marco single lift table with CE approved:

Art.No.	Type	Capacity (kg)	Platform (L*W)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kw)	Weight (kg)
860052	M3-040090-D2	4000	1500*1200	900	300	20	2.2	470
860050	M3-040130-D2	4000	2000*1200	1300	300	27	2.2	530
860051	M3-040130-D2B	4000	2000*1500	1300	300	27	2.2	605
860054	M4-040160-D2	4000	2500*1200	1600	400	37	2.2	1020
860055	M4-040160-D2B	4000	2500*1500	1600	400	37	2.2	1170
860058	M4-040200-D2	4000	3000*1200	2000	400	33	4.6	1215
860059	M4-040200-D2B	4000	3000*1500	2000	400	33	4.6	1350
860060	M4-050130-D2	5000	2250*1200	1300	400	41	2.2	955
860061	M4-050130-D2B	5000	2250*1500	1300	400	41	2.2	1060
860064	M4-050160-D2	5000	2500*1200	1600	400	50	2.2	1060
860065	M4-050160-D2B	5000	2500*1500	1600	400	50	2.2	1150
860068	M4-050200-D2	5000	3000*1200	2000	400	33	4.6	1210
860069	M4-050200-D2B	5000	3000*1500	2000	400	33	4.6	1370

