



## Hydraulic Scissor Lift Table for Dock Loading Customization and Lift Mechanism Options

Our Product Introduction

for more products please visit us on [newarrivals2025.com](http://newarrivals2025.com)

### Basic Information

- Certification: CE



### Product Specification

- Model NO.: 860
- Feature: Insulating
- Transport Package: Wooden Pallet
- Specification: CE
- Trademark: Marco
- Origin: Ningbo, China
- HS Code: 8428909090
- Supply Ability: 5000pieces/Year
- Application: Workshop Crane, Shipboard Crane, Warehouse Crane, Building Crane
- Lift Mechanism: Scissor Lift
- Carrying Capacity: Weight Level
- Moves: Stationary
- Driven Type: Hydraulic
- Running Mode: Stationary

## Product Description

**Marco loading dock** is used on loading docks for the unloading and loading of vehicles.

**Marco loading dock** operates between the different levels of the vehicle and the loading dock.

It is designed for use in extremely difficult environmental and operational conditions and can also be provided for external use.

**Marco loading dock** are designed and equipped to withstand environmental and load stresses which frequently occur as point loads when vehicles cross the lift table.

**All Marcolift standard lift tables are manufactured with high quality components to enhance reliability, durability and safety in operation.**

|                      |                                       |                       |                                |
|----------------------|---------------------------------------|-----------------------|--------------------------------|
| <b>Pump</b>          | Bucher                                | <b>Motor</b>          | Hoyer Denmark, protection IP55 |
| <b>Control Panel</b> | Marco standard control box            | <b>Sealing</b>        | Sweden, SKF                    |
| <b>Cylinder</b>      | Marco, with rapture valve and damping | <b>Limit switch</b>   | USA, Suns                      |
| <b>Safety frame</b>  | Aluminum with limit switch            | <b>Scissor arm</b>    | Q345B, profile steel           |
| <b>Paint</b>         | Finland, Tikkurila                    | <b>Hydraulic hose</b> | USA, Eaton                     |

In addition to the standard equipment of lift tables, it is possible to provide Marcolift lift table with a range of accessories to enhance safety, versatility, application and to simply handling. Packaging for scissor lift  
Company information  
FAQ

Q1. What is your terms of packing?

A: Generally, we pack our goods in wooden cases and container ,it is special packing for express.

Q2. What is your terms of payment?

A: T/T 30% as deposit, and 70% before delivery. We'll show you the photos of the products and packages before you pay the balance.

Q3. What is your terms of delivery?

A: EXW, FOB, CFR, CIF,DDU

Q4. How about your delivery time?

A: Generally, it will take 10 days - 60days after receiving your advance payment. The

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| specific delivery time depends on the items and the quantity of your order.<br>Q5. Can you produce according to the samples?<br>A: Yes, we can produce by your samples or technical drawings. We can build the molds and fixtures.<br>Q6. Do you test all your goods before delivery?<br>A: Yes, we have 100% test before delivery<br>Q7: How do you make our business long-term and good relationship?<br>A:1. We keep good quality and competitive price to ensure our customers benefit ;<br>2. We respect every customer as our friend and we sincerely do business and make friends with them, no matter where they come from. |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |  |  |